

TZ-CERT HONEYPOTS WEEKLY REPORT

Period : 25th of July – 1st of August, 2021 Report No. : TZ-CERT/WRHP/2021/31

1. NETWORK ATTACKS

A total of **458,055** attacks have been recorded compared to last week **368,119** attacks within the period of this report. The top 10 Network attacks with malicious IPs, commonly used usernames and passwords is as in **table1** below:

| SN | ATTACKING IPS | USERNAMES | PASSWORDS |
|-----|----------------|-----------|------------|
| 1. | 203.175.76.156 | admin | admin |
| 2. | 5.188.62.249 | nproc | password |
| 3. | 171.251.26.14 | user1 | 123456 |
| 4. | 45.227.255.207 | root | 1 |
| 5. | 5.188.62.243 | test | test1234 |
| 6. | 45.227.255.161 | user | 000000 |
| 7. | 45.227.255.208 | admin1 | 123456 |
| 8. | 5.182.39.65 | default | 1122 |
| 9. | 5.182.39.71 | support | support123 |
| 10. | 5.182.39.70 | MikroTik | 88888888 |

Table1: Top 10 Network attacking IP

Most of the usernames and passwords listed are commonly used, thus its advised review of usernames and password be made to avoid use of above listed credentials and default ones. Use of password policies is the best practice.

2. MALICIOUS SOFTWARE (MALWARE)

During the week the sensors recorded, a total of **104,350** malicious software distributed compared to last week in which was **101,913**.

| SN | ATTACKING IPS | MALICIOUS SOFTWARE | HASHES(SHA256) |
|----|----------------|--------------------------|-----------------------|
| 1. | 92.63.196.222 | Trojan Horse | 685bc2af410d86a742b |
| | | | 59b96d116a7d9 |
| 2. | 62.76.35.170 | Trojan- | beb68e9c7ef18f421df8 |
| | | Ransom.Win32.Wanna.m | 230c032fe02a |
| 3. | 39.52.131.138 | Ransom.Wannacry | ae12bb54af31227017f |
| | | | effd9598a6f5e |
| 4. | 151.106.117.54 | HEUR:Backdoor.Win32.A | 996c2b2ca30180129c6 |
| | | gent.gen | 9352a3a3515e4 |
| 5. | 151.106.52.70 | Trojan.Win32.Reconyc.fuz | 0ab2aeda9022183216 |
| | | V | 7e5127332dd702 |
| 6. | 132.232.54.185 | Trojan:MSIL/Cryptor | c71eacf3ffaf82787a533 |

Below listed are top ten malicious software and their hashes.

| | | | eb452bcf3e7 |
|-----|-----------------|----------------------------------|--------------------------------------|
| 7. | 62.76.35.170 | TrojanDownloader:Win32/ Small | 414a3594e4a822cfb97 a4326e185f620 |
| 8. | 129.227.237.118 | Downloader.Trojan | 02c5f1515bf42798728f ac17bfe1e4c1 |
| 9. | 92.63.196.228 | Ransom:Win32/CVE- 2017-0147.A | 0ab9a60a55cb40fc338 e8f4988feee2f |
| 10. | 34.215.199.20 | Trojan.Agent.CZTF | 0e19ca510e6158adb6 9e2d51d35c54cd |

Table2: Top 10 Malicious attacking IP

3. WEB ATTACKS

During the week the sensors recorded a total of **1,834** web attacks compared to last week which was **1,261**.

From the table the top 10 web based attacks and their associated requests sent to web servers for the period between 25th of July and 1st of August, 2021, are detailed. The requests are the payloads.

| SN | ATTACKING IPS | TOP REQUESTS |
|-----|-----------------|---|
| 1. | 52.188.118.217 | /jenkins/login |
| 2. | 91.148.161.242 | /login |
| 3. | 45.42.45.111 | /manager/html |
| 4. | 181.43.243.83 | /secure/ContactAdministrators!default.jspa |
| 5. | 35.180.208.85 | /boaform/admin/formLogin?username=admin&psd=ad min |
| 6. | 52.14.238.191 | /boaform/admin/formLogin?username=adminisp&psd= adminisp |
| 7. | 52.32.67.74 | /config/getuser?index=0 |
| 8. | 169.129.96.52 | /boaform/admin/formLogin?username=ec8&psd=ec8 |
| 9. | 200.121.203.169 | /hudson |
| 10. | 31.6.11.54 | /favicon.ico |

Table3: Top 10 web attacking IP

4. **RECOMMENDATIONS**

The Honeypot sensors have recorded IP addresses with most common malware used in the world today. Monitoring of the listed IP address is advised and further to: -

4.1 Note that most of malicious IP addresses captured are also listed as malicious IP addresses in other sources that are also observing security attacks; thus

security measures should be considered to counter act including monitoring of the IPs in networks. Most likely the same resources might be used for further attacks.

- **42** Discourage usage of listed login resources (usernames and passwords) and consider deploying mechanisms to monitor login attempts.
- **4.3** Thoroughly check for suspicious files of hashes listed in **Table 2**.
- **4.4** Deploy Intrusion Detection System (IDS) and configure to flag detection of attacks associated with list of resources provided especially the IP addresses and the web requests.