



TZ-CERT HONEYPOTS WEEKLY REPORT

Period : 24th – 30th of May, 2020

Report No. : TZ-CERT/WRHP/2020/21

1. NETWORK ATTACKS

A total of **82,794** attacks have been recorded compared to last week **134,763** attacks within the period of this report. The top 10 Network attacks with malicious IPs, commonly used usernames and passwords is as in **table1** below:

SN	ATTACKING IPS	USERNAMES	PASSWORDS
1.	45.227.255.206	nproc	nproc
2.	45.227.255.207	admin	admin
3.	5.188.62.15	ftpuser	ftpuser
4.	5.188.62.14	git	git
5.	5.188.87.49	guest	123123
6.	5.188.87.58	postgres	pass
7.	5.188.86.206	jenkins	server
8.	5.188.86.60	user	postgres
9.	5.188.87.51	oracle	P@ssw0rd
10.	5.188.87.53	server	server

Table1: Top 10 Network attacking IP

Most of the usernames and passwords listed are commonly used, thus its advised review of usernames and password be made to avoid use of above listed credentials and default ones. Use of password policies is the best practice.

2. MALICIOUS SOFTWARE (MALWARE)

During the week the sensors recorded, a total of **220,653** malicious software distributed compared to last week in which was **352,592**.

Below listed are top ten malicious software and their hashes.

SN	ATTACKING IPS	MALICIOUS SOFTWARE	HASHES(SHA256)
1.	119.203.117.185	BehavesLike.Win32.RansomWannaCry.t h	996c2b2ca30180129c69352a3a 3515e4
2.	120.221.147.62	Trojan- Ransom.Win32.Wan na.m	37a3ca268f5d7379fcb52682963 36771
3.	46.246.224.212	HEUR:Backdoor.Wi n32.Agent.gen.	ca71f8a79f8ed255bf036795048 13c6a
4.	206.75.80.63	HEUR:Trojan.Win	685bc2af410d86a742b59b96d1

		32.Miner.b.gen	16a7d9
5.	45.236.255.206	HEUR:Trojan-Downloader.Win32.Generic	d3d550e38c82dc47192363dc3cf7e9da
6.	212.13.31.14	Trojan Horse	dede6d1500af444a9f4d67bf9fcc6088
7.	82.53.171.143	HEUR:Trojan-Downloader.Win32.Genome.	64f62894e7b8f7574cb8ccea414d768f
8.	61.188.188.104	TrojanDownloader:Win32/Small.gen!B	235e9af4c6f5b5de7d30d0589bbcff14
9.	58.119.5.210	HEUR:Trojan-Downloader.Win32.Generic	02c5f1515bf42798728fac17bfe1e4c1
10.	172.104.182.11	Trojan-Ransom.Win32.Wanna.m	ae12bb54af31227017feffd9598a6f5e

Table2: Top 10 Malicious attacking IP

3. WEB ATTACKS

During the week the sensors recorded a total of **16,514** web attacks compared to last week which was **12,689**.

From the table the top 10 web based attacks and their associated requests sent to web servers for the period between 24th and 30th of May, 2020 are detailed. The requests are the payloads.

SN	ATTACKING IPS	TOP REQUESTS
1.	173.244.36.39	/perl/down*.php?showpage=
2.	185.234.216.38	/admin-manager/admin.jsp
3.	66.249.64.83	/servlet/enter.php?menue=
4.	66.249.66.131	/cgi-bin/press.php?seite=
5.	122.51.192.250	/axis-cgi/poesia.php?id=
6.	173.212.225.214	/servlet/base.php?texto=
7.	66.249.73.115	//perl/comments
8.	139.199.23.198	/inc/editorial.php?id=
9.	189.128.112.115	/products_category.asp?CategoryID=
10.	109.70.100.34	/axis-cgi/template.php?a=

Table3: Top 10 web attacking IP

4. RECOMMENDATIONS

The Honeypot sensors have recorded IP addresses with most common malware used in the world today. Monitoring of the listed IP address is advised and further to: -

- 4.1 Note that most of malicious IP addresses captured are also listed as malicious IP addresses in other sources that are also observing security attacks; thus security measures should be considered to counter act including monitoring of the IPs in networks. Most likely the same resources might be used for further attacks.
- 4.2 Discourage usage of listed login resources (usernames and passwords) and consider deploying mechanisms to monitor login attempts.
- 4.3 Thoroughly check for suspicious files of hashes listed in **Table 2**.
- 4.4 Deploy Intrusion Detection System (IDS) and configure to flag detection of attacks associated with list of resources provided especially the IP addresses and the web requests.