

TZ-CERT HONEYPOTS WEEKLY REPORT Period : 23rd of October – 29th of October, 2022 Report No.: TZ-CERT/WRHP/2022/43

1. NETWORK ATTACKS

A total of **393,950** attacks have been recorded compared to last week **345,376** attacks within the period of this report. The top 10 Network attacks with malicious IPs, commonly used usernames and passwords is as in **table1** below:

| SN | ATTACKING IPS | USERNAMES | PASSWORDS |
|-----|----------------|---------------------|--------------|
| 1. | 103.215.208.4 | nproc | 12345678 |
| 2. | 217.74.16.223 | admin | admin |
| 3. | 116.98.162.63 | user | 7ujMko0admin |
| 4. | 162.221.95.62 | root | root |
| 5. | 171.251.21.6 | guest | 123456 |
| 6. | 116.98.167.185 | ubuntu | ubuntu |
| 7. | 171.251.18.219 | support | 1234567890 |
| 8. | 141.98.11.91 | supervisor | password |
| 9. | 45.95.147.40 | User-Agent: python- | support |
| | | requests/2.27.1 | |
| 10. | 167.172.82.33 | test | Win1doW\$ |

Table1: Top 10 Network attacking IP

Most of the usernames and passwords listed are commonly used, thus its advised review of usernames and password be made to avoid use of above listed credentials and default ones. Use of password policies is the best practice.

2. MALICIOUS SOFTWARE (MALWARE)

During the week the sensors recorded, a total of **1,531,556** malicious software distributed compared to last week in which was **1,307,701**.

Below listed are top ten malicious software and their hashes.

| SN | ATTACKING IPS | MALICIOUS SOFTWARE | HASHES(SHA256) |
|----|---------------|-------------------------|----------------------|
| 1. | 41.78.76.190 | Trojan Horse | 71ef590b32ef90a021b |
| | | | e7bafd074b7698ffefab |
| | | | 7f935e371568bef5eb2 |
| | | | 543f19 |
| 2. | 41.78.173.77 | A Variant Of | ae6d308fae42abc06ec |
| | | Win32/TrojanDownloader. | 22ba816c3b8e1edf59b |
| | | Small.AVZ | e08d454362416effc72 |
| | | | 6b31cee |
| 3. | 41.78.64.254 | TrojWare.Win32.Ransom. | 3b0285d601232ddee7 |
| | | WannaCry.AB@75g | 9a28f3923462f3e4f8c6 |

| | | | cedb809377ed0da07b a06b651e |
|-----|--------------|--|--|
| 4. | 41.78.109.1 | HEUR:Trojan- Downloader.Win32.Generi c | 0db4f8ea9c2fd15a3fa1 76534bacb8507660f7d 0944fa1f11e889410e6 585337 |
| 5. | 41.59.201.7 | Trojan- Ransom.Win32.Wanna.m | 4b60b30d5fef9c694b9 b4ca3d4acd1eb396100 146f80c0a5bddbd1fad 779c7a1 |
| 6. | 41.93.47.66 | Trojan:Linux/Multiverze | 4f8d52675b80722bc80 94ee36a21339f9058fa a69644e00e5fb547234 bb152fe |
| 7. | 41.59.211.41 | Linux.Mirai | 7766e635ad7dc91495 d7ce66a83a7bf5b1b9f 8f744e45525d4a2b90a c5f27aef |
| 8. | 81.171.20.43 | Gen:Trojan.Malware.eC5 @a0JB20mi | c2d709eb1b8e00ececb 5a0057b0b70177892d dfc297d03b2d0339671 6505ba5e |
| 9. | 41.59.87.166 | Trojan.Agent.CZTF | b4e5e3e5ea11e333b5 7d97cbcef17847efd122 443c8f7bc1c9aec0c84 044bc4d |
| 10. | 80.15.48.189 | HEUR:Trojan.Win32.Miner .b.gen | 3d0883658ec3cdd999c f5d97c91456e8bb0184 2fb1f0c72f688b68aee5 0fab51 |

Table2: Top 10 Malicious attacking IP

3. WEB ATTACKS

During the week the sensors recorded a total of **5,899** web attacks compared to last week which was **5,468**.

From the table the top 10 web-based attacks and their associated requests sent to web servers for the period between 23^{rd} of October – 29^{th} of October, 2022, are detailed. The requests are the payloads.

| SN | ATTACKING IPS | TOP REQUESTS |
|----|----------------|--|
| 1. | 51.103.219.37 | /jenkins/login |
| 2. | 45.95.147.40 | /login |
| 3. | 185.216.71.241 | /manager/html |
| 4. | 109.15.243.214 | /secure/ContactAdministrators!default.jspa |

| 5. | 114.35.136.153 | /boaform/admin/formLogin?username=admin&psd=ad min |
|-----|----------------|---|
| 6. | 167.172.67.62 | /boaform/admin/formLogin?username=adminisp&psd= adminisp |
| 7. | 170.253.10.49 | /config/getuser?index=0 |
| 8. | 180.218.150.54 | /boaform/admin/formLogin?username=ec8&psd=ec8 |
| 9. | 77.21.183.25 | /hudson |
| 10. | 79.54.84.229 | /favicon.ico |

Table3: Top 10 web attacking IP

4. **RECOMMENDATIONS**

The Honeypot sensors have recorded IP addresses with most common malware used in the world today. Monitoring of the listed IP address is advised and further to: -

- 4.1 Note that most of malicious IP addresses captured are also listed as malicious IP addresses in other sources that are also observing security attacks; thus, security measures should be considered to counter act, including monitoring of the IPs in networks. Most likely the same resources might be used for further attacks.
- **4.2** Discourage usage of listed login resources (usernames and passwords) and consider deploying mechanisms to monitor login attempts.
- **4.3** Thoroughly check for suspicious files of hashes listed in **Table 2**.
- **4.4** Deploy Intrusion Detection System (IDS) and configure to flag detection of attacks associated with list of resources provided especially the IP addresses and the web requests.